

Account No. 11

Elderly and Dementia Care

Selected bibliography (1990-2010)

- Aldridge, D. (Ed.). (2000). *Music Therapy in Dementia Care*. London: Jessica Kingsley.
- Aldridge, D. (2000). Overture: It's Not What You Do but the Way that You Do It. In D. Aldridge (Ed.), *Music Therapy in Dementia Care* (pp. 9-32). London: Jessica Kingsley.
- Aldridge, D., & Brandt, G. (1991). Music therapy and Alzheimer's disease. *British Journal of Music Therapy*, 5(2), 28-37.
- Aldridge, G. (2000). Improvisation as an Assessment of Potential in Early Alzheimer's Disease. In D. Aldridge (Ed.), *Music Therapy in Dementia Care* (pp. 139-165). London: Jessica Kingsley.
- Armstrong, L. (2002). Communication in day care: Talking without words. *Journal of Dementia Care*, 18-19.
- Baker, S. (2006). Taking note of music. *Journal of Dementia Care*, 14(1), 14-15.
- Bannan, N., & Montgomery-Smith, C. (2008). Singing for the brain: Reflections on the human capacity for music arising from a pilot study of group singing with Alzheimer's patients. *Perspectives in Public Health*, 128(2), 73-78.
- Brotons, M. (2000). An Overview of the Music Therapy Literature Relating to Elderly People. In D. Aldridge (Ed.), *Music Therapy in Dementia Care* (pp. 33-62). London: Jessica Kingsley.
- Brotons, M., & Koger, S. M. (2000). The impact of music therapy on language functioning in dementia. *Journal of Music Therapy*, 37(3), 183-195.
- Brown, S., Goteel, E., & Ekman, S. L. (2001). Singing as a therapeutic intervention in dementia care. *Journal of Dementia Care*, July/August 2001, 33-37.
- Buron, B. (2007). Levels of personhood: A model for dementia care. *Geriatric Nursing*, 29(5), 324-332.
- Clair, A. A. (1996). The effect of singing on alert responses in persons with late stage dementia. *Journal of Music Therapy*, XXXIII (4), 234-247.



- Clair, A. A. (2000). The Importance of Singing with Elderly Patients. In D. Aldridge (Ed.), *Music Therapy in Dementia Care* (pp. 81-101). London: Jessica Kingsley.
- Clark, M. E., Lipe, A. W., & Bilbrey, M. (1998). Use of music to decrease aggressive behaviors in people with dementia. *Journal of Gerontological Nursing*, 24(7), 10-17.
- Colegrove, V. (1995). The use of taped music with validation techniques to support the imagery of a disoriented older woman with multi-infarct dementia and glaucoma: A case study. *The New Zealand Journal of Music Therapy*, 42-45.
- Dodds, P. (2004). Using pre-therapy techniques in dementia care. *Journal of Dementia Care*, March/April 2004, 25-28.
- Ferri, C. P. e. a. (2005). Global prevalence of dementia: A Delphi consensus study. *The Lancet (British ed. Online)*, 366(9503), 2112-2117.
- Fratiglioni, L., Wang, H. X., Ericsson, K., Maytan, M., & Winblad, B. (2000). Influence of social network on occurrence of dementia: A community-based longitudinal study. *The Lancet (British ed. Online)*, 355(9212), 1315-1319.
- Gerdner, L. A. (2000). Effects of individualized versus classical "relaxation" music on the frequency of agitation in elderly persons with Alzheimer's disease and related disorders. *International Psychogeriatrics*, 12(1), 49-65.
- Greenyer, J. (2003). Music and memories. *Journal of Dementia Care*, 11(1), 8-9.
- Groene, R. W. (1993). Effectiveness of music therapy 1:1 intervention with individuals having senile dementia of the Alzheimer's type. *Journal of Music Therapy*, 30(3), 138-157.
- Hanser, S., & Clair, A. A. (1996). Retrieving the Losses of Alzheimer's Disease for Patients and Care-Givers with the Aid of Music. In T. Wigram, B. Saperston & R. West (Eds.), *The Art and Science of Music Therapy: A Handbook* (pp. 342-360). Chur, Switzerland: Harwood Academic.
- Killick, J., & Allan, K. (1999). The arts in dementia care: Tapping a rich resource. *Journal of Dementia Care*, 7(4), 35-38.
- Koger, S. M., Chapin, K., & Brotons, M. (1999). Is music therapy an effective intervention for dementia? A meta-analytic review of the literature. *Journal of Music Therapy*, 36(1), 2-15.
- Kotai-Ewers, T. (2000). Working with Words: People with Dementia and the Significance of Narratives. In D. Aldridge (Ed.), *Music Therapy in Dementia Care* (pp. 63-80). London: Jessica Kingsley.
- Kumar, A. M., Tims, F., Cruess, D. G., Mintzer, M. J., Ironson, G., Loewenstein, D., et al. (1999). Music therapy increases serum melatonin levels in patients with Alzheimer disease. *Alternative Therapies in Health Medicine*, 5(6), 49-57.
- Ledger, A. J., & Baker, F. A. (2007). An investigation of long-term effects of group music therapy on agitation levels of people with Alzheimer's disease. *Aging and Mental Health*, 11(3), 330-338.





- Lipe, A. (1995). The use of music performance tasks in the assessment of cognitive functioning among older adults with dementia. *Journal of Music Therapy*, 32, 137-151.
- Lipe, E. (1991). Using music therapy to enhance the quality of life in a client with Alzheimer's dementia: A case study. *Music Therapy Perspectives*, 9, 102-105.
- Lord, T. R., & Garner, J. E. (1993). Effects of music on Alzheimer patients. *Perceptual and Motor Skills*, 76(2), 451-455.
- Moss, H. (2003). Service evaluation: Music therapy and medicine for the elderly. *British Journal of Music Therapy*, 17(2), 76-89.
- Mullan, M. (2005). Finding harmony together through musical expression. *Journal of Dementia Care*, 13(2), 22-24.
- Nugent, N. (2003). Processes in group music therapy: Reducing agitation in individuals with Alzheimer's disease and related disorders. *The New Zealand Journal of Music Therapy*, 60-81.
- Powell, H. (2006). The voice of experience: Evaluation of music therapy with older people, including those with dementia, in community locations. *British Journal of Music Therapy*, 20(2), 109-120.
- Raglio, A., Bellelli, G., Traficante, D., Gianotti, M., Ubezio, M. C., Villani, D., et al. (2008). Efficacy of music therapy in the treatment of behavioral and psychiatric symptoms of dementia. *Alzheimer Disease and Associated Disorders*, 22(2), 158-162.
- Ridder, H. M. (2005). An Overview of Therapeutic Initiatives When Working with People Suffering from Dementia. In D. Aldridge (Ed.), *Music Therapy and Neurological Rehabilitation: Performing Health* (pp. 61-82). London: Jessica Kingsley.
- Rose, L., & Schlingensiepen, S. (2001). Meeting in the dark – a musical journey of discovery. *Journal of Dementia Care*, 9(2), 20-24.
- Simpson, F. (2000). Creative Music Therapy: A Last Resort? In D. Aldridge (Ed.), *Music Therapy in Dementia Care* (pp. 166-183). London: Jessica Kingsley.
- Sung, H. C., & Chang, A. M. (2005). Use of preferred music to decrease agitated behaviours in older people with dementia: A review of the literature. *Journal of Clinical Nursing*, 14(9), 1133-1140.
- Suzuki, M., Isowa, T., & Kanamori, M. (2006). Research trends and issues recognized by nurses regarding music therapy among the elderly persons with dementia. *Japanese Journal of Nursing Research*, 39(4), 31-46.
- Suzuki, M., Kanamori, M., Nagasawa, S., Tokiko, I., & Takayuki, S. (2007). Music therapy-induced changes in behavioral evaluations, and saliva chromogranin A and immunoglobulin A concentrations in elderly patients with senile dementia. *Geriatrics and Gerontology International*, 7(1), 61-71.
- Suzuki, M., Kanamori, M., Watanabe, M., Nagasawa, S., Kojima, E., Ooshiro, H., et al. (2004). Behavioral and endocrinological evaluation of music therapy for elderly patients with dementia. *Nursing and Health Sciences*, 6, 11-18.





- Svansdottir, H. B., & Snaedal, J. (2006). Music therapy in moderate and severe dementia of Alzheimer's type: A case-control study. *International Psychogeriatrics*, 18(4), 613-621.
- Vink, A. (2000). The Problem of Agitation in Elderly People and the Potential Benefit of Music Therapy. In D. Aldridge (Ed.), *Music Therapy in Dementia Care* (pp. 102-118). London: Jessica Kingsley.
- Vink, A. (2000). A Survey of Music Therapy Practice with Elderly People in the Netherlands. In D. Aldridge (Ed.), *Music Therapy in Dementia Care* (pp. 119-138). London: Jessica Kingsley.
- Vink, A. C., Birks, J. S., Bruinsma, M. S., & Scholten, R. J. P. M. (2003). Music therapy for people with dementia. *Cochrane Database of Systematic Reviews* 2003(Issue 4), 4. Art. No.: CD003477. DOI: 003410.001002/14651858.CD14003477.pub14651852.
- Weber, S. (2000). Remembering and Forgiving. In D. Aldridge (Ed.), *Music Therapy in Dementia Care* (pp. 184-194). London: Jessica Kingsley.
- Wood, S. (2007). Chalfont Lodge choir: Heart of a home and community. *Journal of Dementia Care*, 15(1), 22-25.
- York, E. (1994). The development of a quantitative music skills test for patients with Alzheimer's disease. *Journal of Music Therapy*, 31(4), 280-296.

Some of the above references are also identified and in the following categories:

Randomised Control Trials (RCTs)

Systematic Reviews

Vink, A. C., Birks, J. S., Bruinsma, M. S., & Scholten, R. J. P. M. (2003).

Cochrane Protocols

Vink, A. C., Birks, J. S., Bruinsma, M. S., & Scholten, R. J. P. M. (2003).

Assessments and Evaluations

Aldridge, G. (2000).

Clair, A. A. (1996). Ledger, A. J., & Baker, F. A. (2007).

Lipe, A. (1995).

Lord, T. R., & Garner, J. E. (1993).

Moss, H. (2003).

Powell, H. (2006).

Raglio, A., Bellelli, G., Traficante, D., Gianotti, M., Ubezio, M. C., Villani, D., et al. (2008).





Suzuki, M., Kanamori, M., Nagasawa, S., Tokiko, I., & Takayuki, S. (2007).
Suzuki, M., Kanamori, M., Watanabe, M., Nagasawa, S., Kojima, E., Ooshiro, H., et al. (2004).
Vink, A. (2000).
York, E. (1994).

Other useful resources

Journals

- Caring Times
- Dementia: The International Journal of Social Research and Practice
- Geriatric Nursing
- Journal of Dementia Care
- The Journal of Gerontology

Websites

- Age Concern Camden, www.ageconcerncamden.org.uk
- Alzheimer's Research Trust, www.alzheimers-research.org.uk
- Alzheimer's Society, www.alzheimers.org.uk
- Bath Mind Advocacy for Older People, www.bathmind.org.uk/advocacy_older_people.htm
- CareInfo, www.careinfo.org.uk
- Older People's Advocacy Alliance, www.opaal.org.uk
- The Gerontological Society of America, www.geron.org/Publications

Recent Government Policy Documents

- Aging Well (Department for Work and Pensions, 2010), www.dwp.gov.uk/policy/ageing-society/ageing-well/
- Products, tools and ageing society (Department for Work and Pensions, 2010), www.dwp.gov.uk/policy/ageing-society/products-tools-goodpractice/
- Full of Life (Department for Work and Pensions, 2010), www.dwp.gov.uk/policy/ageing-society/full-of-life/
- National Dementia Strategy (Department of Health 2010), www.dh.gov.uk/en/SocialCare/NationalDementiaStrategy/index.htm
- Services for people who are elderly addressing the balance the multi-disciplinary assessment of elderly people and the delivery of high quality continuing care (Department of Health, 2010),





www.dh.gov.uk/en/Publicationsandstatistics/Publications/PublicationsPolicyAndGuidance/DH_4008917

- Living Well with Dementia: A National Dementia Strategy (Department of Health, February 2009),
www.dh.gov.uk/en/Publicationsandstatistics/Publications/PublicationsPolicyAndGuidance/DH_094058
- Health, Work and Wellbeing (Department for Work and Pensions),
www.dwp.gov.uk/policy/welfare-reform/health-work-and-well-being/

The Evidence Bank is updated regularly and contributions are welcome. Additional research papers, journals, websites or documents that fulfil the inclusion / exclusion criteria can be added by contacting: research@nordoff-robbins.org.uk

Are there any copyright considerations?

The Evidence Bank is an open resource for music therapy, and music and health practitioners, researchers, students, as well as funders and employers of these practices. However, the Evidence Bank is a copyright-protected publication.



Creative Commons Attribution Non-Commercial No Derivatives 3.0 Unported

Copyright © Nordoff Robbins 2010

All Rights Reserved. No part of this document may be reproduced without written consent from the Nordoff Robbins Research Department.

Nordoff Robbins Research Department
2 Lissenden Gardens, NW5 1PQ, London, United Kingdom
Tel: +44 (0)20 7267 4496
Email: research@nordoff-robbins.org.uk
Web: www.nordoff-robbins.org.uk

