

Account No. 8

Mental Health

Selected bibliography (1990-2010)

- Ansdell, G., Davidson, J., Magee, W., Meehan, J., & Procter, S. (2010). "This F***ing life" to "that's better"... in four minutes: An interdisciplinary study of music therapy's "present moments" and their potential for affect modulation. *Nordic Journal of Music Therapy*, 19(1), 3-28.
- Ansdell, G., & Meehan, J. (2010). "Some light at the end of the tunnel": Exploring users' evidence for the effectiveness of music therapy in adult mental health settings. *Music and Medicine*, 2(1), 29-40.
- Baker, F., Gleadhill, L., & Dingle, G. (2007). Music therapy and emotional exploration: Exposing substance abuse clients to the experiences of non-drug-induced emotions. *The Arts in Psychotherapy*, 34(4), 321-330.
- Bodner, E., Lancu, I., Gilboa, A., Sarel, A., Mazor, A., & Amir, D. (2007). Finding words for emotions: The reactions of patients with major depressive disorder towards various musical excerpts. *The Arts in Psychotherapy*, 34(2), 142-150.
- Bryce, L., & Wettone, S. (2007). Drawing and drumming: A pilot art and music therapy group on an assessment ward in a medium secure unit. *British Journal of Music Therapy*, 21(2), 58-67.
- Cassity, M., & Cassity, J. (2006). *Multimodal Psychiatric Music Therapy for Adults, Adolescents and Children: A Clinical Manual (3rd edition)*. London: Jessica Kingsley.
- Ceccato, E., Caneva, P., & Lamonaca, D. (2006). Music therapy and cognitive rehabilitation in schizophrenic patients: A controlled study. *Nordic Journal of Music Therapy*, 15(2), 111-120.
- Choi, A. N., Lee, M. S., & Lim, H. J. (2008). Effects of group music intervention on depression, anxiety, and relationships in psychiatric patients: A pilot study. *Journal of Alternative and Complementary Medicine*, 14(5), 567-570.
- Chou, M. H., & Lin, M. F. (2006). Exploring the listening experiences during guided imagery and music therapy of outpatients with depression. *Journal of Nursing Research*, 14(2), 93-102.



- Crawford, M. J., & Patterson, S. (2007). Arts therapies for people with schizophrenia: An emerging evidence base. *Evidence Based Mental Health, 10*, 69-70.
- Davies, A. (1995). The acknowledgement of loss working through depression. *British Journal of Music Therapy, 9*(1), 11-16.
- Davies, A., & Richards, E. (1998). Music therapy in acute psychiatry: Our experience of working as co-therapist with a group for patients from two neighbouring wards. *British Journal of Music Therapy, 12*(2), 53-59.
- Day, T., Baker, F., & Darlington, Y. (2009). Beyond the therapy room: Women's experiences of 'going public' with song creations. *British Journal of Music Therapy, 32*(1), 19-26.
- de l'Etoile, S. K. (2002). The effectiveness of music therapy in group psychotherapy for adults with mental illness. *The Arts in Psychotherapy, 29*(2), 69-78.
- Dileo, C., & Bradt, J. (2008). Music for preoperative anxiety (Protocol). *Cochrane Database of Systematic Reviews, 2008*(Issue 1), Art. No.: CD006908.
- Dingle, G. A., Gleadhill, L., & Baker, F. A. (2008). Can music therapy engage patients in group cognitive behaviour therapy for substance abuse treatment? *Drug and Alcohol Review, 27*(2), 190-196.
- Edwards, J. (2006). Music therapy in the treatment and management of mental disorders. *Irish Journal of Psychological Medicine, 23*(1), 33-35.
- Erkkilä, J., Gold, C., Fachner, J., Ala-Ruona, E., Punkanen, M., & Vanhala, M. (2008). The effect of improvisational music therapy on the treatment of depression: Protocol for a randomised controlled trial. *BMC Psychiatry, 8*, 50.
- Gillen, E., Biley, F., & Allen, D. (2008). Effects of music listening on adult patients' pre-procedural state anxiety in hospital. *Journal of Evidence-Based Healthcare, 6*(1), 24-49.
- Gladding, S. (2008). The lyrics of hurting and healing: Finding words that are revealing. *Journal of Creativity in Mental Health, 3*(3), 212-219.
- Gold, C. (2006). An overview of results and current issues in outcome research on music therapy for people with psychotic disorders. *Acta Psychiatrica Scandinavica, 114*(30).
- Gold, C. (2007). Music therapy improves symptoms in adults hospitalised with schizophrenia. *Evidence-Based Mental Health, 10*(3), 77.
- Gold, C., Dahle, T., Heldal, T. O., & Wigram, T. (2006). Music therapy for people with schizophrenia or other psychoses: A systematic review and meta-analysis. *British Journal of Music Therapy, 20*(2), 100-108.
- Gold, C., Heldal, T. O., Dahle, T., & Wigram, T. (2005). Music therapy for schizophrenia or schizophrenia-like illnesses. *Cochrane Database of Systematic Reviews, 2005*(Issue 2), Art. No.: CD004025. DOI: 004010.001002/14651858.CD14004025.pub14651852.





- Gold, C., Lygren, M., Karterud, I., & Petersen, I. (2006). Music therapy for psychotic patients: Research and clinical perspectives. *Acta Psychiatrica Scandinavica*, 114(Suppl. 431), 30
- Gold, C., Rolvsjord, R., Aaro, L., Aarre, T., Tjemsland, L., & Stige, B. (2005). Resource-oriented music therapy for psychiatric patients with low therapy motivation: Protocol for a randomised controlled trial. *BMC Psychiatry*, 5(1), 39.
- Gold, C., Solli, H. P., Kruger, V., & Lie, S. A. (2009). Dose-response relationship in music therapy for people with serious mental disorders: Systematic review and meta-analysis. *Clinical Psychology Review*, 29, 193-207.
- Gold, C., Wigram, T., & Voracek, M. (2007). Effectiveness of music therapy for children and adolescents with psychopathology: A quasi-experimental study. *Psychotherapy Research*, 17(3), 292-300.
- Grocke, D., Bloch, S., & Castle, D. (2008). Is there a role for music therapy in the care of the severely mentally ill? *Australasian Psychiatry*, 16(6), 442-445.
- Hanser, S. B., & Thompson, L. W. (1994). Effects of a music therapy strategy on depressed older adults. *Journals of Gerontology*, 49(6), 265-269.
- Hayashi, N., Tanabe, Y., Nakagawa, S., Noguchi, M., Iwata, C., Koubuchi, Y., et al. (2002). Effects of group musical therapy on inpatients with chronic psychoses: A controlled study. *Psychiatry and Clinical Neurosciences*, 56(2), 187-193.
- Inada, M. (2007). From performer to container: A psychiatric group with a musically accomplished client. *British Journal of Music Therapy*, 21(2), 53-57.
- Kayyali, A. (2006). Music therapy for decreasing patient stress: A new study is currently examining its effectiveness. *American Journal of Nursing*, 106(4), 72A.
- Khouzam, H. R., Ghafoori, B., & Nichols, E. E. A. (2005). Use of a religious hymn in remission of symptoms of social phobia (social anxiety disorder): a case study. *Psychological Reports*, 96(2), 411-421.
- Loth, J. (1994). Music therapy and forensic psychiatry - choice, denial and the law. *British Journal of Music Therapy*, 8(2), 10-18.
- Loue, S., Mendez, N., & Sajatovic, M. (2008). Preliminary evidence for the integration of music into HIV prevention for severely mentally ill Latinas. *Journal of Immigrant and Minority Health*, 10(6), 1557-1912.
- Maratos, A., Gold, C., Wang, X., & Crawford, M. J. (2008). Music therapy for depression. *Cochrane Database of Systematic Reviews 2008*(Issue 1), Art. No.: CD004517. DOI: 004510.001002/14651858.CD14004517. pub14651852.
- Mays, K. L., Clark, D. L., & Gordon, A. J. (2008). Treating addiction with tunes: A systematic review of music therapy for the treatment of patients with addictions. *Substance Abuse*, 29(4), 51-59.
- McFerran, K., Baker, F., Kildae, C., Patton, G., & Sawyer, S. (2008). Avoiding conflict: What do adolescents with disordered eating say about their mothers in music therapy? *British Journal of Music Therapy*, 22(1), 16-23.





- McFerran, K., Baker, F., Patton, G. C., & Sawyer, S. M. (2006). A retrospective lyrical analysis of songs written by adolescents with anorexia nervosa. *European Eating Disorders Review*, 14(6), 397-403.
- Mcivor, M. (1990). The challenge for music therapy in a changing psychiatric setting. *The New Zealand Journal of Music Therapy*, 23-28.
- Molyneux, C. (2005). Music therapy as a short-term intervention with individuals and families in a child and adolescent mental health service. *British Journal of Music Therapy*, 19(2), 59-66.
- Nilsson, U. (2008). The anxiety- and pain-reducing effects of music interventions: A systematic review. *AORN Journal*, 87(4), 780-807.
- Odell-Miller, H. (1995). Why provide music therapy in the community for adults with mental health problems? *British Journal of Music Therapy*, 9(1), 4-10.
- Odell-Miller, H., Hughes, P., & Westacott, M. (2006). An investigation into the effectiveness of the arts therapies for adults with continuing mental health problems. *Psychotherapy Research*, 16(1), 122-139.
- Oldfield, A. (2006). *Interactive Music Therapy in Child and Family Psychiatry*. London: Jessica Kingsley.
- Pavlicevic, M. (2000). Behind the Scenes: Revisiting 'Music Therapy and the Rehabilitation of Persons Suffering from Schizophrenia'. In J. Z. Roberts (Ed.), *Music Therapy Research: Growing Perspectives in Theory and Practice (Volume 1)*. Hertfordshire, UK: British Society for Music Therapy.
- Pavlicevic, M. (2007). The Music Interaction Rating Scale (Schizophrenia) (MIR(S)): Microanalysis of Co-Improvisation in Music Therapy with Adults Suffering from Chronic Schizophrenia. In T. Wosch & T. Wigram (Eds.), *Microanalysis in Music Therapy* (pp. 174-185). London: Jessica Kingsley.
- Pavlicevic, M., Trevarthen, C., & Duncan, J. (1994). Improvisational music therapy and the rehabilitation of persons suffering from chronic schizophrenia. *Journal of Music Therapy*, XXXI(2), 86-104.
- Procter, S. (2001). Empowering and enabling: Improvisational music therapy in non-medical mental health provision. *Voices: A World Forum for Music Therapy*, 1(2), Retrieved from [www.voices.no/mainissues/Voices1\(2\)Procter.html](http://www.voices.no/mainissues/Voices1(2)Procter.html)
- Procter, S. (2002). Empowering and Enabling: Music Therapy in Non-medical Mental Health Provision. In C. Kenny & B. Stige (Eds.), *Contemporary Voices in Music Therapy*. Oslo: Unipub Forlag.
- Rickson, D. (1999). Music and psychiatry. *The New Zealand Journal of Music Therapy*, 50-67.
- Roberts, J., & Sloboda, A. (1994). Perspectives on music therapy with people with anorexia nervosa. *British Journal of Music Therapy*, 8(1), 7-14.
- Rolvsjord, R. (2004). Therapy as empowerment: Clinical and political implications of empowerment philosophy in mental health practices of music therapy. *Nordic Journal of Music Therapy*, 13(2), 99-111.





- Ross, S., Cidambi, I., Dermatis, H., Weinstein, J., Ziedonis, D., Roth, S., et al. (2008). Music therapy: A novel approach for dually diagnosed patients. *Journal of Addictive Diseases*, 27(1), 41-53.
- Ross, S., Cidambi, I., Dermatis, H., Weinstein, J., Ziedonis, D., Roth, S., et al. (2008). Music therapy: A novel motivational approach for dually diagnosed patients. *American Journal on Addictions*, 17(4), 330.
- Rumball, K. (2010). The effects of group musical activity on psychiatric patients in India. *Voices: A World Forum for Music Therapy*, 10(2), Retrieved from www.voices.no/mainissues/164.php
- Sabbatella, P. (2006). Music is inside and around me: Group music therapy with schizophrenic patients. *Acta Psychiatrica Scandinavica*, 114, 49.
- Silverman, M. (2010). Applying levels of evidence to the psychiatric music therapy literature base. *The Arts in Psychotherapy*, 37(1), 1-7.
- Silverman, M. J. (2003). The influence of music on the symptoms of psychosis: A meta-analysis. *Journal of Music Therapy*, 40(1), 27-40.
- Smeijsters, H. (1996). Music therapy with anorexia nervosa: An integrative theoretical and methodological perspective. *British Journal of Music Therapy*, 10(2), 3-13.
- Smeijsters, H., & Cleven, G. (2006). The treatment of aggression using arts therapies in forensic psychiatry: Results of a qualitative inquiry. *The Arts in Psychotherapy*, 33(1), 37-58.
- Spang, S. (1997). Forensic psychiatry and music therapy. *The New Zealand Journal of Music Therapy*, 17-28.
- Talwar, N., Crawford, M., Maratos, A., Nur, U., McDermott, O., & Procter, S. (2006). Music therapy for in-patients with schizophrenia: Exploratory randomized trial. *The British Journal of Psychiatry*, 189, 405-409.
- Ulrich, G., Houtmans, T., & Gold, C. (2007). The additional therapeutic effect of group music therapy for schizophrenic patients: A randomized study. *Acta Psychiatrica Scandinavica*, 116(5), 362-370.
- Wachi, M., Koyama, M., Utsuyama, M., Bittman, B., Kitagawa, M., & Hirokawa, K. (2007). Recreational music-making modulates natural killer cell activity, cytokines, and mood states in corporate employees. *Medical Science Monitor*, 13(2), 57-70.

Some of the above references are also identified and in the following categories:

Randomised Control Trials (RCTs)

- Erkkilä, J., Gold, C., Fachner, J., Ala-Ruona, E., Punkanen, M., & Vanhala, M. (2008).
- Gold, C., Rolvsjord, R., Aaro, L., Aarre, T., Tjemsland, L., & Stige, B. (2005).
- Talwar, N., Crawford, M., Maratos, A., Nur, U., McDermott, O., & Procter, S. (2006).
- Ulrich, G., Houtmans, T., & Gold, C. (2007).





Systematic Reviews

- Gold, C., Dahle, T., Heldal, T. O., & Wigram, T. (2006).
Gold, C., Heldal, T. O., Dahle, T., & Wigram, T. (2005).
Gold, C., Solli, H. P., Kruger, V., & Lie, S. A. (2009).
Maratos, A., Gold, C., Wang, X., & Crawford, M. J. (2008).
Mays, K. L., Clark, D. L., & Gordon, A. J. (2008).
Nilsson, U. (2008).

Cochrane Protocols

- Dileo, C., & Bradt, J. (2008).
Gold, C., Heldal, T. O., Dahle, T., & Wigram, T. (2005).
Maratos, A., Gold, C., Wang, X., & Crawford, M. J. (2008).

Assessments and Evaluations

- Ansdell, G., & Meehan, J. (2010).
Bryce, L., & Wettone, S. (2007).
Ceccato, E., Caneva, P., & Lamonaca, D. (2006).
Gold, C., Wigram, T., & Voracek, M. (2007).
Hayashi, N., Tanabe, Y., Nakagawa, S., Noguchi, M., Iwata, C., Koubuchi, Y., et al. (2002).
Kayyali, A. (2006).
Odell-Miller, H., Hughes, P., & Westacott, M. (2006).
Silverman, M. J. (2003).

Other useful resources

Journals

- European Journal of Psychiatry
- Evidence Based Mental Health
- Journal of Creativity in Mental Health
- The Arts in Psychotherapy





Websites

- APMT Mental Health Network (membership/password required), www.apmt.org/MEMBERS/SpecialNetworks/MentalHealth/tabid/86/Default.aspx
- Borderline Personality Disorder World, www.bpdworld.org
- Eating Disorders Research, www.iop.kcl.ac.uk/sites/edu/?id=131
- Depression Alliance, www.depressionalliance.org
- Mencap, www.mencap.org.uk
- Mental Health Foundation, www.mentalhealth.org.uk
- Mental Health Links, www.mental-health.me.uk
- MIND (National Association for Mental Health), www.mind.org.uk
- Rethink, www.rethink.org
- SANELINE, www.sane.org.uk
- Scottish Association for Mental Health, www.samh.org.uk
- Stand to Reason, www.standtoreason.org.uk
- The National Institute for Mental Health (NIMHE), www.nimh.nih.gov

Recent Government Policy Documents

- Children and Adult Mental Health Services (CAMHS) (Department of Health, 2010) www.dh.gov.uk/en/Healthcare/Mentalhealth/CAMHS/index.htm
- Improving Access to Psychological Therapies (Department of Health, 2010) www.dh.gov.uk/en/Healthcare/Mentalhealth/Psychologicaltherapies/index.htm
- Evidence of inequality in access to and provision of mental health services (Department of Health, 2010) www.dh.gov.uk/en/Healthcare/Mentalhealth/Equalities/index.htm
- New Horizons: a shared vision for mental health (Department of Health, 2009) www.dh.gov.uk/en/Publicationsandstatistics/Publications/PublicationsPolicyAndGuidance/DH_109705
- Mental Health Act 2007 (Department of Health) http://webarchive.nationalarchives.gov.uk/+www.dh.gov.uk/en/Healthcare/Mentalhealth/DH_089882
- Mental Health Act 1983 (Department of Health) www.dh.gov.uk/en/Healthcare/Mentalhealth/InformationontheMentalHealthAct/DH_4001816

The Evidence Bank is updated regularly and contributions are welcome. Additional research papers, journals, websites or documents that fulfil the inclusion / exclusion criteria can be added by contacting: research@nordoff-robbins.org.uk





Are there any copyright considerations?

The Evidence Bank is an open resource for music therapy, and music and health practitioners, researchers, students, as well as funders and employers of these practices. However, the Evidence Bank is a copyright-protected publication.



Creative Commons Attribution Non-Commercial No Derivatives 3.0 Unported

Copyright © Nordoff Robbins 2010

All Rights Reserved. No part of this document may be reproduced without written consent from the Nordoff Robbins Research Department.

Nordoff Robbins Research Department
2 Lissenden Gardens, NW5 1PQ, London, United Kingdom
Tel: +44 (0)20 7267 4496
Email: research@nordoff-robbins.org.uk
Web: www.nordoff-robbins.org.uk

